208-06-2900Y1

ARAG IBX100 Black 24 Pin to Speed and Impl Harness

Wire Size: 18 AWG unless otherwise specified

Speed

Flow

C2

C3

C4

C5

C6

C7 C8

ARAG ECU Sensors & Valves 24 WAY SICMA/FCI MALE Deutsch Part DT04-3P With Male Pins **CAN Terminator** Terminator RED +12VDC Α1 **DEUTSCH 3-PIN SHROUD** DT06-3S Female Pins WHT A2 CAN H А3 GRN В CAN L Α4 C Α5 A6 **ECU GND** Α7 Α8 В1 ORG/WHT Implement Sw B2 GRN CANL В3 WHT CANH В4 В5 В6 В7 В8 Speed C1

150 MP Tower 3-PIN

Signal

+12V

Impl Switch

150 MP Tower 3-PIN

GND

В

С


В

PRP

RED


BLK

ORG/WHT



208-06-2900Y1

ARAG IBX100 Black 24 Pin to Speed and Impl Harness




REVISIONS

A-01 Original Drawing

A-02 Changed from Alp ha P in out to IB X100 Pinout

	Part No:	208-06-2900Y1	Drawn By:		Dirk Ricker			
	Description:	ARAG IBX100 Black 24 Pin to Speed and Impl Harness	Last Edit Date:	3/14/2016 1:57:20 PM		Revision	Д	\-02
Sure Fire Ag Systems	Copyright 2014 SureFire Ag Systems, Reproduction or other use of drawing without express written permission from SureFire Ag Systems is forbidden		Page of Pages			2 (ıf 3	3





Part No:	208-06-2900Y1	Drawn By:		Dirk Ricker			
Description:	ARAG IBX100 Black 24 Pin to Speed and Impl Harness	Last Edit Date:		3/14/2016 1:57:20 PM		ion	A-02
Copyright 2014 SureFire Ag Systems, Reproduction or other use of drawing without express written permission from SureFire Ag Systems is forbidden		Page of Pages			3	of	3