



396-5617Y1 Tank Kits for John Deere Applications


Kit Number: 530-01-025150 Kit Number: 530-01-025200





Revised: 3/21/2024

Kit Number: 530-01-025300





SurePoint Ag Systems Sure Point Fertilizer Tank Safety and Warnings



SurePoint Ag Systems does not recommend transporting your implement with full fertilizer tanks. Doing so can result in damage to brackets and



Remember to wear proper PPE (Personal Protective Equipment) when installing SurePoint Ag Systems fertilizer tank kits. Proper PPE includes gloves, foot and



SurePoint Ag Systems fertilizer application systems require winterization when not in use. Refer to your product manual for winterization procedures.


Revised: 3/21/2024

Failure to follow the above warnings can result in personal injury, damage to your SurePoint Ag Systems products, and damage to your implement.



Parts List and Install Dimensions 530-01-025150

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	280-075-AG200	3/4" AG200 Bulk	20
2	300-060400-5	3/8" x 4" Hex Head Bolt - G5	8
3	321-06	3/8" Nylock Nut	8
4	330-06	3/8" Flat Washer	8
5	380-1060	3/4" U-Bolt Kit - fits 7" x 7" tube (7" opening) includes Flat & Lock	4
6	420-3003Y1-BK	150 Gallon Round - 32"Ø - Tank Support Sheet	2
7	420-3032Y1-BK	Offset Bar Mount Saddle for 32"Ø Tank	4
8	521-00-100290	Tank Overflow Assembly Bag for Two Tanks (Wing Tanks)	1
9	525-2055	2" Tank Strap Kit for Tanks under 300 Gallon	4
10	727-02-HZ0150-32-Y	Horizontal Tank - 150 Gal - Yellow - 32" x 52"	2




396-5617Y1 - Tank Kits for John Deere Applications Instructions


Page 3 © 2024 SurePoint Ag Systems, Inc.




Parts List and Install Dimensions 530-01-025200

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	280-075-AG200	3/4" AG200 Bulk	20
2	300-060400-5	3/8" x 4" Hex Head Bolt - G5	8
3	321-06	3/8" Nylock Nut	8
4	330-06	3/8" Flat Washer	8
5	380-1060	3/4" U-Bolt Kit - fits 7" x 7" tube (7" opening) includes Flat & Lock	4
		Washers, Nuts	
6	420-3002Y1-BK	200 Gallon Round Tank Support Sheet	2
7	420-3032Y1-BK	Offset Bar Mount Saddle for 32"Ø Tank	4
8	521-00-100290	Tank Overflow Assembly Bag for Two Tanks (Wing Tanks)	1
9	525-2055	2" Strap Kit for Tanks under 300 Gallons	4
10	727-02-HZ0200-32-Y	Horizontal Tank - 200 Gal - Yellow - 32" x 68"	2







396-5617Y1 - Tank Kits for John Deere Applications Instructions


Page 4 © 2024 SurePoint Ag Systems, Inc.

Revised: 3/21/2024



Parts List and Install Dimensions 530-01-025300

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	280-075-AG200	3/4" AG200 Bulk	10
2	300-100108-5	5/8" x 1-1/2" Hex Head Bolt - G5	12
3	323-10	5/8" Flange Nut	12
4	330-10	5/8" Flat Washer	12
5	1.38U-1Uhh	3/4" U-Bolt Kit - fits 8" x 12" tube - (8" opening) - includes Flat & Lock	4
		washers, Nuts	
6	421-2020A1-BK	Planter Hitch Mount for Tank Cradle (400 or 500 gallon)	2
7	421-4712Y1-BK	300 Gallon Elliptical Cradle	1
8	521-00-100280	Tank Overflow Assembly Bag for 150-300 Gallon Tanks	1
9	525-2055	2" Strap Kit for Tanks under 300 Gallon	2
10	727-01-HE0300-48-Y	300 Gallon Elliptical Tank - Yellow	1



396-5617Y1 - Tank Kits for John Deere Applications Instructions

Page 5 © 2024 SurePoint Ag Systems, Inc.

Revised: 3/21/2024




Step by Step Instructions


Step 1

Offset Bar Mounted Tanks

- 1. Loosely mount 420-3032Y1 to bar using the provided u-bolt kits. Repeat for second saddle.
- 2. Secure support sheet (150 / 200 Gal) to both saddles using four (4) 3/8" x 4" hex head bolts, washer, and nuts.
- tank straps. Repeat steps 1-3 for second tank.
- obstructions.







396-5617Y1 - Tank Kits for John **Deere Applications Instructions**

Page 6 © 2024 SurePoint Ag Systems, Inc.

Revised: 3/21/2024




Step by Step Instructions

Hitch Mounted Tanks - 530-01-025300

- 1. Loosely mount 421-2020A1 to hitch using the provided u-bolt kits. *Repeat for second pedestal.*
- 2. Loosely mount 421-4712Y1 to both pedestals using twelve (12) 5/8" x 1-1/2" hex head bolts, washers, and flange nuts.
- 3. Install and secure tank using provided tank straps.
- Tighten all bolts down after checking for clearance and obstructions.

Tighten tank straps once again after filling tank.





Page 7 © 2024 SurePoint Ag Systems, Inc.

Step 2